




NOTES:

- 1. DRAWING PREPARED IN ACCORDANCE WITH ASME Y14.24, ASME Y14.5, AND ASME Y14.100.
- 2. WELD PER OSE 1.1.
- 3. REMOVE WELD SPATTER AND DEBRIS.
- 4. PAINT PER OSE 2.3, POLYURETHANE.
- 5. PROTECT THREADS FROM WELD SPATTER AND PAINT.



2	000-0001-097	Hex Cap Screw, 3/4-10 X 1 3/4, Steel, SAE J429 Grade 5	2
1	001-0049-001	Square Tubing, Hopper Supports	1
ITEM NO.	PART NO.	DESCRIPTION	QTY.

<div>open source ecology</div>	NAME		DATE		PROJECT:				
	DRAWN		YYYY/MM/DD		DESCRIPTION: Hopper Support Weldment				
	CHECKED		YYYY/MM/DD						
	APPR.		YYYY/MM/DD						
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES				SIZE DWG. NO. A 001-0050				
ANGLES ± .5		.X ± .1		.XX ± .03					
LICENSE INFORMATION				REV A					
ALL INFORMATION IS RELEASED UNDER THE OSE LICENSE FOR DISTRIBUTIVE ECONOMICS. FOR FURTHER INFORMATION GO TO: OPENSOURCEECOLOGY.ORG/WIKI/LICENSE									
		THIRD ANGLE PROJECTION		SCALE: NONE		WEIGHT: XX.XLBS		SHEET 1 OF 1	