




NOTES:

1. DRAWING PREPARED IN ACCORDANCE WITH ASME Y14.24, ASME Y14.5, AND ASME Y14.100.
2. WELD PER OSE 1.1.
3. REMOVE WELD SPATTER AND DEBRIS.
4. PAINT PER OSE 2.3, POLYURETHANE.
5. PROTECT THREADS FROM WELD SPATTER AND PAINT.



|   |              |   |                 |             |   |               |
|---|--------------|---|-----------------|-------------|---|---------------|
| 2   | 000-0001-061 | Hex Cap Screw, ½-13 X 2 ½, Steel, SAE J429 Grade 5                                    |                 |             | 1   |               |
| 1   | 001-0020-001 | Flat, Bearing   |                 |             | 1   |               |
| ITEM NO.  | PART NO.     | DESCRIPTION   |                 |             | QTY.  |               |
| <div>open<br/>source<br/>ecology</div> <div>LICENSE INFORMATION</div> <div>ALL INFORMATION IS RELEASED UNDER THE OSE<br/>LICENSE FOR DISTRIBUTIVE ECONOMICS. FOR<br/>FURTHER INFORMATION GO TO:</div> <div>OPENSOURCEECOLOGY.ORG/WIKI/LICENSE</div> |              |   | NAME            | DATE        | PROJECT:                                      |               |
|   |              | DRAWN   |                 | YYYY/MM/DD  | DESCRIPTION:<br><br>Bearing Plate<br>Weldment |               |
|   |              | CHECKED   |                 | YYYY/MM/DD  |   |               |
|   |              | APPR.   |                 | YYYY/MM/DD  |   |               |
|   |              | UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES                                |                 |             |   |               |
|   |              | ANGLES  | .X<br>± .5      | .XX<br>± .1 |   | .XXX<br>± .03 |
|   |              |  |                 |             | SIZE  | DWG. NO.      |
| THIRD ANGLE PROJECTION  |              |   | A               | 001-0021    | A   |               |
| SCALE: NONE   |              |   | WEIGHT: XX.XLBS |             | SHEET 1 OF 1                                  |               |